


| <u>Image</u> | <u>P/N</u> | <u>Description</u> |
|--|------------|---|
| | A 1506 | IDLER SPROCKET |
|  | B1020 | LATCH, BELT ASSEMBLY PIVOT |
|  | B1048 | CONVEYOR MOTOR SHIM |
|  | B1067 | REAR BELT GUARD |
|  | B1071 | KNIFE CYLINDER ADAPTER, ROD END |
|  | B1076 | WEAR STRIP, 4", SPECIFY LENGTH INCHES -- PER INCH |
|  | B1077 | WEAR STRIP, 2", SPECIFY LENGTH INCHES -- PER INCH |
| | B1116 | COLLAR |
|  | B1120 | CONTROL PITMAN TUBE, 8-1/2" |
|  | B1122 | LH SHAKER PITMAN TUBE, 8 X 6" |
|  | B1125 | SHAKER ROD CLAMP |
|  | B1133 | TRIP ROD |
|  | B1134 | DRIVE END BAR |
|  | B1140 | LEFT GEAR COVER |
|  | B1141 | CENTER GEAR COVER |
|  | B1143 | INPUT SHIELD HALF |


| <u>Image</u> | <u>P/N</u> | <u>Description</u> |
|---|------------|--------------------------|
|  | B1167 | MOTOR MOUNT |
|  | B1174 | SPACER |
|  | B1181 | TONGUE BOLT |
|  | B1185 | LH IDLER BAR |
|  | B1188 | RIGHT IDLER BAR, 1976 |
|  | B1199 | SHAFT |
|  | B1209 | VERTICAL ADJUSTMENT |
|  | B1218 | REAR HANGER, ROOT SHAKER |
|  | B1280 | CYLINDER LOCK |
|  | B1304 | 58" Cutting Blade |
|  | B1310 | PIVOT SHAFT |
|  | B1311 | COLLAR |
|  | B1312 | DRIVE SHEAVE |
|  | B1313 | DRIVE SHAFT |
|  | B1317 | BELT CARRIER BAR |
|  | B1345 | WHEEL CYLINDER PIN, LONG |
|  | B1355 | PITMAN STUD |
|  | B1356 | ECC. BEARING CARRIER |
|  | B1357 | SHORT PITMAN |
|  | B1376 | CLAMP, 2 PIECES |
|  | B1384 | OUTER DIVIDER |

| <u>Image</u> | <u>P/N</u> | <u>Description</u> |
|--|------------|------------------------------------|
|  | B1396 | ROOT BEATER SUPPORT ROD, FRONT 10" |
|  | B1421 | GRATE EXTENSION |
|  | B1436 | NOSE |
|  | B1438 | SCRAPER LOCK |
|  | B1454 | SPACER, SPINDLE PIVOT |
|  | B1468 | CLAMP, BARREL STAND |
|  | B1469 | PIPE CLAMP |
|  | B1488 | WASHER, FORK AXLE |
|  | B1518 | SPROCKET, KNIFE DRIVE 50TLB26 |
|  | B1532 | UNLOADER VALVE, PRIOR TO 1980 |
|  | B1553 | QUICK DISCONNECT, MALE, 1" |
|  | B1573 | UPPER SEAL |
| | B1610 | OUTER CONE |
| | B1611 | OUTER CUP |
| | B1613 | INNER CUP |
| | B1614 | INNER CONE |
| | B1615 | SEAL |

| Image | <u>P/N</u> | <u>Description</u> |
|--|-------------------|--|
| | B1626 | GAUGE SNUBBER |
|  | B1635 | KNIFE ECCENTRIC BEARING |
| | B1636 | ECCENTRIC SHAFT SEAL |
|  | B1637 | KNIFE ECCENTRIC CENTER BEARING |
| | B1648 | MALE BALL STYLE QUICK DISCONNECT, IHC |
|  | B1651 | ORDER B1679 |
| | B1655 | QUICK DISCONNECT NIPPLE, 1/2" |
| | B1659 | SHAKER BAR SEAL |
| | B1662 | "T" RING AND BACKUP RING SET - Use B5321 |
|  | B1666 | KNIFE ECCENTRIC SHAFT MOUNT BEARING |
| | B1667 | HEAVY DUTY HITCH BALL |
|  | B1669 | IDLER |
| | B1673 | REPLACEMENT GEROLER KIT FOR B1457 |
| | B1674 | REPLACEMENT GEROLER KIT FOR B1620 |
| | B1692 | REPLACEMENT GEROLER KIT FOR B1658 |
| | B1693 | SEAL KIT, HYDR. MOTOR SERIES 006 |
| | B1698 | 3/4" ID X 14 GA WIDE RIM MACH. BUSHING |
|  | B1748 | PISTON |
|  | B1780 | CONTROL VALVE STD HANDLE KIT |
| | B1798 | SEAL |
| | B1810 | 1/4" CABLE THIMBLE |
| | B1815 | OFFSET LINK |

| Image | P/N | Description |
|--|------------|------------------------------|
| | B1816 | CONNECTOR LINK |
| | B1827 | ROOT SHAKER CLAMP BOLT |
| | B1828 | NUT, 3/8-24 UNF |
| | B1829 | TUBE VALVE STEM LOCK NUT |
|  | B1844 | SELECTOR VALVE |
|  | B1845 | TWO POSITION DETENT KIT |
|  | B1879 | COUPLING HALF |
| | B1881 | STRAIGHT ROLLER, 15" BF |
|  | B1906 | HANDLE ADAPTER |
| | | |
|  | B1915 | FLUID SIGHT GAUGE |
|  | B1938 | PUMP DRIVE COUPLING HUB |
|  | B1946 | COOLER FAN MOTOR |
|  | B1948 | FLUID REGULATOR 1983 |
| | B1961 | HOSE ASSEMBLY, 3/4" X 32" |
| | B1968 | BEARING BLOCK |
|  | B1975 | TRAILER CONNECTOR |
| | B1987 | DPDT MOMENTARY TOGGLE SWITCH |
| | B1988 | SPST TOGGLE SWITCH |
| | B1989 | TOGGLE SWITCH BOOT |
| | B2013 | BELT DRIVE HEX SHAFT, 2 + 1 |
|  | B2018 | SHORT IDLER SHAFT, 2 + 1 |
| | B2026 | LONG IDLER SHAFT, 2 + 1 |

| Image | P/N | Description |
|--|------------|-------------------------------|
| | B2027 | DRIVE SHAFT, 2 + 1 |
| | B2031 | CONTROL PITMAN |
| | B2033 | SPECIAL KEY WASHER |
|  | B2035 | SPACER, IDLER SPROCKET |
|  | B2048 | BELT GUARD, SPRING BIAS |
|  | B2404 | SHIELD |
|  | B2407 | CHAIN GUARD |
|  | B2409 | LATCH |
|  | B2417 | BELT DRIVE U-JOINT |
| | B2421 | FRONT SUPPORT ROD |
|  | B2422 | REAR SUPPORT ROD |
|  | B2438 | AXLE SPINDLE |
|  | B2452 | BELT TIGHTENER |
|  | B2453 | CYLINDER PIN, MEDIUM |
|  | B2456 | GEAR BOX / PUMP MOUNT |
|  | B2486 | HOOK BOLT |
|  | B2495 | CYLINDER - BUTT END - SAE |
|  | B2619 | GASKET, INLET COVER |
|  | B2623 | TRACTOR BRACKET, CABLE SPPORT |
|  | | |

| <u>Image</u> | <u>P/N</u> | <u>Description</u> |
|---|------------|-----------------------------------|
|  | B2626 | GEAR BOX CPLG HUB, SN# 037 UP |
|  | B2649 | TOP BELT STRIPPER |
|  | B2650 | BOTTOM BELT STRIPPER |
|  | B2670 | SPACER |
|  | B2680 | ROD, RIGHT BACKUP |
|  | B2688 | THRUST WASHER |
|  | B2691 | BEARING JOURNAL |
|  | B2698 | UNLOADING CONVEYOR WEAR BLOCK |
|  | B2706 | LEFT KNEE GUARD |
|  | B2708 | RIGHT HAND TRANSFER GRATE SUPPORT |
|  | B2713 | BELT CLAMP |
|  | B2749 | SHIELD, CHAIN |
|  | B2789 | LONG ROOT BEATER STIFFENER |
|  | B2799 | REAR BOARD |
|  | B2813 | HEX BELT DRIVE SHAFT |
|  | B2822 | LEFT END GEAR COVER |
|  | B2824 | RIGHT END GEAR COVER |
|  | B2878 | COOLER HOSE BRACE |
|  | B2911 | CONTROL BOX, CONVEYOR HANDLING |
|  | B2912 | BOX COVER, CONVEYOR HANDLING |

| Image | P/N | Description |
|--|------------|--------------------------------------|
|  | B2958 | MOUNT SHIELD |
|  | B2962 | BEATER, 1989 |
|  | B2993 | GRATE EXTENSION, |
|  | B2994 | SPACER 1" |
|  | B3005 | BEARING |
|  | B3018 | ROLLER, THIN WALL |
|  | B3026 | HUB SMALL, 3/4 BORE AND 3/16" KEYWAY |
|  | B3027 | HUB, SMALL, 1 3/8" BORE |
|  | B3032 | HOUSING, LEFT DRIVE |
|  | B3036 | LONG PITMAN, 1-1/4 THD |
|  | B3046 | TOP CLAMP |
|  | B3047 | BOTTOM CLAMP |
|  | B3057 | CHAIN HOOK LEFT HAND |
|  | B3109 | HUB LARGE 1 1/4" BORE 5/16" KEYWAY |
|  | B3110 | HUB, LARGE |
|  | B3113 | IDLER SHEAVE COVER W/O-RING |
|  | B5020 | PINION, 14 TOOTH |
|  | B5021 | GEAR, 28 TOOTH |
|  | B5024 | STAKE NUT |
|  | B5026 | STAKE NUT, 1-1/2" |
|  | B5028 | OUTPUT SHAFT |
|  | B5041 | COUPLING HUB |
|  | B5048 | HOSE ASSEMBLY, 1/2" X 30" |

| Image | <u>P/N</u> | <u>Description</u> |
|---|-------------------|--------------------------------|
| | B5088 | TYPE SVT CONDUCTOR, 18/2, GRAY |
|  | B5089 | NORMALLY OPEN SOLENOID VALVE |
|  | B5097 | HEAVY DUTY SOLENOID COIL |
|  | B5099 | BEARING BLOCK HOUSING |
|  | B5112 | SPROCKET, 50SDS36 |
|  | B5113 | PULLEY LAGGING, 2" |
|  | B5162 | PLUG, ELECTRICAL |
|  | B5166 | YOKE, 1-3/8" 6-SPLINT |
|  | B5167 | DOUBLE YOKE |
| | B5170 | INNER PROFILE, 780MM (30.71") |
| | B5171 | OUTER PROFILE |
|  | B5177 | SHIELD CONE CV |
|  | B5178 | SAFETY CHAIN |
|  | B5179 | SHIELD COLLAR |
|  | B5187 | VISUAL INDICATOR |
|  | B5208 | GEAR PUMP |
| | B5215 | VELOCITY FUSE |
| | B5236 | SHAFT SEAL KIT, B1941 & B5208 |

| Image | P/N | Description |
|--|------------|---|
| | B5247 | MOUNTING KIT, 5 BANK B5190 |
| | B5248 | STACK MOUNTING KIT |
| | B5249 | RELIEF & UNLOADING COMBINATION MODULE |
| | B5268 | THREE WAY SOLENOID VALVE |
|  | B5269 | IDLER GEAR, 3-1/2 P.D. |
|  | B5278 | SHIELD CONE 3 RIB |
| | B5296 | CUP NUT, UNLOADER SOLENOID CARTRIDGE |
| | B5298 | RELIEF VALVE CARTRIDGE |
| | B5301 | MALE Q.D. COUPLER |
| | B5318 | SEAL KIT, CHAR LYNN 009 & 010 |
|  | B5322 | VALVE, ADJUSTABLE NEEDLE |
|  | B5323 | DRIVE GEAR, 7/8 X 1/4" KEYWAY |
| | B5331 | U-CUP, 1-1/4 BORE |
|  | B5345 | OUTER SHIELD TUBE WITH CAP |
| | B5358 | SWITCH, TOGGLE |
| | B5361 | SEAL KIT, MAIN FILTER |
|  | B5392 | SPHERICAL ROD END, 1-14 UNF THREAD – RH |
|  | B5396 | HYDRAULIC MOTOR, 12.5 CIR – 2-BOLT COUNTER CW |
|  | B5401 | FLEX ELEMENT W/FASTENERS, SMALL |
|  | B5414 | ON/OFF CARTRIDGE ARMATURE ONLY |
|  | B5418 | FLEX ELEMENT W/FASTENERS, LARGE |